

Accessories / Zubehör



ShootingFun
Adjustable for paper targets 10-14cm.
Steel, green lacquered.
ItemNo.: 87561




Funnel
Suitable for paper targets 14x14cm.
17x15cm
ItemNo.: 185741



Flat
Suitable for paper targets 14x14cm.
15x14cm
ItemNo.: 185740



PaperTargets
Paper targets,
12 circles, set of 100.
14x14cm
ItemNo.: 102803



ChampionMaker
Target box with 5 holes
(8, 10, 13, 16, 22mm)
reset by pulling cable.
Size: L28 xW15 x H16cm
ItemNo.: 103313



Tip Target "Bird"
Target turned over
by hits. With a hit,
the next bird will be
erected. 24x20cm.
ItemNo.: 185742



Mini IndoorHunter
The perfect standing target
for those who prefer a
smaller, lighter, handier
IndoorHunter. Both two
swinging targets will be
turned over by hits. A hit
on the middle target will
erect the hit down targets.
Colour: black
Size: L32 x W22 x H20cm
ItemNo.: 172992



IndoorHunter
Each of the four swinging bore targets will be turned
over by hits. A hit on the middle 3cm round target
will erect the hit down targets.
Colour: black Size: L50 x W22 x H20cm
ItemNo.: 87755



Stuck Target "Little Mouse"

43x22cm
ItemNo.: 185744

After the middle target
of one of the Norconia
stuck targets was hit,
another hit on the lower
target will re-erect the
main, middle target.



Stuck Target "Vulture"

47x11cm
ItemNo.: 185743

Accessories / Zubehör



Mounted rifle only for demonstration purposes, no part of delivered bipod!

Bipod with ground balance

For accurate shooting, height adjustable, with ground-balancing-adjustment and Picatinny-seat, easy mounting by connection on the swivel stud (see picture left) or directly with the Picatinny-rail of the rifle (see picture below), foldable for easy carriage mounted with rifle.

ItemNo.: 162032



Bipod sand-coloured

same as 162032 but without ground-balancing-adjustment and Picatinny-seat.


ItemNo.: 155342



Shooting Tester

Collimator for aligning reticle of riflescope being mounted. Including 16 shafts for various calibers: 4mm, 5.3mm, 5.8mm, 6.2mm, 6.3mm, 6.6mm, 6.8mm, 7.4mm, 7.7mm, 8.2mm, 8.5mm, 9mm, 10.4mm, 11mm, 12.2mm - Shotguns (20-12).

ItemNo.: 101826



Gun Rest

For zeroing of rifles, bench frame made of tube steel, adjustable standing feet, height adjustable, front and rear holding forks with soft shell.

Weight: 2.1kg

ItemNo.: 155343



FHB 500


Black, flat pellets, Cal. 4.5mm (177"), 0.53g, 500 pcs. per tin, 10 tins in a box, 8 boxes in a carton.

ItemNo.: 159001

Riflescopes and Mounts / Zielfernrohre und Montagen

Characteristics of Norconia Riflescopes:

Light, metal body (tube) without mount rail, shotproof optics with special coating, centered Duplex reticles with windage and elevation setting, protected by screw-on caps. Focussing: hold main tube and adjustment ring with your left hand and turn eye piece with your right hand to the left. When focus is correct, tighten adjustment ring. Gradual magnification change on the variable riflescopes by turning the ring on the eye piece.



RETICLE NO.8 DUPLEX


**includes two piece mount.
H = High Mount, allows the
use of iron sights.*

No.	Model	Exit Pupil Ø mm	Brightness	Field of View at 100m	Length	Weight	Main Tube Ø	ItemNo.:
no pic.	4x20H*	5.0	8.4	7m	265mm	105g	19mm	51661/001
1	3-7x20H*	6.6 - 2.8	7.7 - 11.8	12 - 7.5m	290mm	180g	19mm	51662/001
2	4x32	8.0	11.3	10m	300mm	260g	25.4mm	51640/001
3	3-9x32	10.7 - 3.6	9.8 - 16.4	14 - 4.4m	350mm	285g	25.4mm	51642/001
no pic.	3-9x40	13.3 - 4.4	11.0 - 19.0	14 - 4.5m	310mm	350g	25.4mm	51643/001

Riflescopes and Mounts / Zielfernrohre und Montagen

With reticle No.4 and one-piece-tube.


Each in dull satin finish.



Available with 2 types of reticles. Intensity of illuminated reticle can be varied in 11 stages, using a 3 Volt Lithium Battery CR2032.

No.	Model	Magnification	Exit Pupil Ø mm	Brightness	Field of view at 100m	Length	Weight	Main Tube Ø	ItemNo.:
1	6x42 Luxus	6x	7.0	15.9	6.4m	325mm	380g	25.4mm	51663/002
2a	1.5-6x42 Luxus	1.5x-6x	28.0-7.0	7.9-15.9	20.0-6.5m	305mm	470g	30.0mm	51646/002
2b	3-9x42 Luxus	3x-9x	10.5-4.6	11.2-19.4	10.4-4.0m	305mm	465g	30.0mm	51668/003
3a	1.5-6x40 IR	1.5x-6x		7.8-15.5	21-5m	290mm	470g	30.0mm	107751/001
3b	3-9x40 IR	3x-9x		11.0-19.0	14-5m	310mm	470g	30.0mm	107752/002

Two-piece mounts out of alloy.



Transfer Mount Size L
ItemNo.: 150891




Transfer Mount Size S
ItemNo.: 182992



Norconia Transfer Mounts, connecting weaver-type feet of dotsights with 11mm prism rail of rifles

No.	Model	Height	Prismrail Width	Ring Ø	ItemNo.:
1	TM58-1	12mm	11mm	25.4mm	09360/001
2	Weaver-1	6mm	21mm	25.4mm	09348/001
3	Weaver-30	6mm	21mm	30.0mm	09367/001
4	NC1123-1	21mm	11mm	25.4mm	09351/001
5	NC1124-30	24mm	11mm	30.0mm	09366/001
6	NC1623-1	21mm	16mm	25.4mm	09352/001

Riflescopes and Mounts / Zielfernrohre und Montagen



No.	Model	Magnification	Exit Pupil Ø mm	Brightness	Field of view at 100m	Length	Weight	Main Tube Ø	ItemNo.:
1a	3-9x56 IR	3x-9x	18.5-5.8	11.0	7.4-2.4m	325mm	720g	30.0mm	114841/001
1b	3-12x56 IR	3x-12x	19.4-5.8	11.0	6.4-1.9m	325mm	730g	30.0mm	184989
2	2.5-10x56 IR	2.5x-10x	20.1-5.5	11.0	6.2-1.7m	335mm	720g	30.0mm	184988


ELECTRONIC DOTSIGHTS:

All our dotsights can be used on all smallbore rifles (.22lr), airguns and pistols. Models A-D with red dotsight. Models B-C according to weather conditions, indoor lighting or target colour - can be used either with a red or green round dot. Changing light intensity with click adjustments. All dotsights are delivered with batteries included.



A) R111-47

Alu-tube-diameter: 47mm (wide field of view, fast pointing). With mounts for 11mm prism rail and for Weaver rail. Click adj.: 11x red only. Length: 110mm, Weight: 230g. ItemNo.: 51654/001



B) R205-30

Alu-tube-diameter: 30mm (wide field of view). Click adj.: 5x red, 5x green. Without mounts. Length: 135mm. Weight: 155g. ItemNo.: 51653/001

Mount rings 30mm for:
11mm prism rail (09553)
Weaver rail (09367/001)



C) R201L

Strong lightweight poly body with strong metal mounting clamps. Dotsight red or green. Suits to 11mm and Weaver rails. Length: 110mm. Weight: 70g. ItemNo.: 51651/001



D) Mini Dotsight RDP-II


Small size (L46xW27xH38mm) and light (only 78g), red dot, with clip mounts for Weaver rail. ItemNo.: 150384

Transfer mount in the picture not included in the delivery of RDP-II

BCI Riflescopes / BCI Zielfernrohre

All our BCI models with illuminated Mil-Dot-Reticle (IR, red-green switchable and each 5 stages) and side focusing wheel (SF, 46mm diameter) for parallax adjustment, reticle adjustment wheels with anti slip lock, 30mm tube, all lenses fully multi-coated, flip-up caps for eyepiece and objective.

BCI IR SF LINE ***(new generation)***



Each model with illuminated Mil-Dot-Reticle red-green-switchable

Reticle adjustment wheels with anti slip lock



1 & 2



BCI 4-16x44 IR SF
BCI 4-16x50 IR SF

3



BCI 6-25x50 IR SF

4



BCI 6-25x56 IR SF

5



BCI 10-40x56 IR SF

No.	Model	Magnification	Exit Pupil Ø mm	Brightness	Field of view at 100m	Length	Weight	Main Tube Ø	ItemNo.:
1	4-16x44 IR SF	4x-16x	11.0-2.8	92%	26.3-6.7m	390mm	850g	30.0mm	183350
2	4-16x50 IR SF	4x-16x	12.5-3.1	92%	29.3-7.5m	380mm	944g	30.0mm	183349
3	6-25x50 IR SF	6x-25x	9.2-2.4	92%	17.1-4.5m	410mm	855g	30.0mm	183348
4	6-25x56 IR SF	6x-25x	9.3-2.2	92%	17.4-4.4m	390mm	1000g	30.0mm	183347
5	10-40x56 IR SF	10x-40x	5.6-1.4	92%	11.5-3.0m	430mm	930g	30.0mm	183292

Binoculars / Ferngläser

Norconia binoculars are manufactured with the highest quality optics using MC-coating (multicoat for maximum light transmission, high resolution, and peak performance). Special twist-up eye cups are provided for ease of use by eyeglass wearers. Each binocular includes soft durable rubber armoring and comes complete with carrying case and neck strap.

CLASSIC LINE

For those who prefer traditional styling. Reasonable priced, internationally approved quality. Plastic body, center focussing wheel, rubber eyecaps, adjustable for use with or without glasses. Improved optics with special adjustment, wide field of view and perfect performance. Compact and easy to carry. All binoculars with carrying case.



OPERA LINE

Culture in view



Line	Model	Objective-Ø	Exit Pupil Ø	Brightness	Field of view at 1000m	Weight	Height/Width	ItemNo.:
Classic	8x21	21mm	2.5mm	13.0	122m	175g	90x60mm	54572
Classic	10x25	25mm	2.5mm	15.8	98m	250g	115x68mm	54493
Opera	3x25	25mm	8.3mm	8.7	176m	170g	52x95mm	197137 (in gift box) 54491 (in black bag)
NewClassic	8x30	30mm	3.8mm	15.5	148m	480g	125x150mm	101740
NewClassic	7x50	50mm	7.1mm	18.7	119m	725g	185x190mm	101839
NewClassic	10x50	50mm	5.2mm	22.4	99m	725g	185x190mm	113002
Sport	8x40	40mm	4.4mm	17.3	122m	695g	140x170mm	54501
Sport	7x50	50mm	6.8mm	18.7	119m	800g	175x190mm	54499
Sport	10x50	50mm	4.0mm	22.5	122m	800g	160x180mm	54500
Sport	20x50	50mm	2.5mm	31.6	56m	795g	165x195mm	101840

NEW CLASSIC LINE

*Classic Values
Modern Design*



SPORT LINE

Close to the action

8x40
7x50
10x50
20x50



Binoculars / Ferngläser



Gun Cases

Nylon, inside size 125cm
ItemNo.: 128597 (green)
ItemNo.: 168652 (camouflage)



WildLife 8x56

ItemNo.: 101753
Package Type: Gift Box

Magnification: 8x. Object Diameter: 56mm. Angular Field of View: 6.1°. Field of View at 1000m: 107m. Exit Pupil: 7mm. Eye Relief: 23mm. Lens Coating: Fully Multi-Coated. Prism Type: Roof. Prism Coating: Coated. Prism Glass Material: BAK-4. Focusing System: Center Focus. Body Material: Aluminium Alloy. Finish Color: Forest Green. Tripod adaptable: Yes. Pouch: Yes.



Discoverer 8x56

ItemNo.: 102862
Package Type: Gift Box

Magnification: 8x. Object Diameter: 56mm. Angular Field of View: 6.4°. Field of View at 1000m: 112m. Exit Pupil: 7mm. Eye Relief: 19.8mm. Lens Coating: Fully Multi-Coated. Prism Type: Roof. Prism Coating: Coated. Prism Glass Material: BAK-4. Focusing System: Center Focus. Body Material: Aluminium Alloy. Finish Color: Ocean Blue. Tripod adaptable: Yes. Pouch: Yes.



18-36x50 including mini-table-tripod

Model	Eyepiece	Magnification	Objective Ø	Exit Pupil Ø	Brightness	Field of view at 1000m	Length	Weight	ItemNo.:
18-36x50	45° diagonal	18x-36x	50mm	2.8-1.4mm	30.0-42.4	31-16m	350mm	980g	54743

Company Profile / Firmenprofil

Norconia GmbH with its headquarters in Rottendorf/Germany was founded in 1988. For 32 years, Norconia belongs among others to Norinco, the largest and leading firearms manufacturer in China. Norinco firearms stand out due to their reliable functionality, reasonable workmanship and excellent prices.

Being a sole agent for Norinco in Europe, Norconia GmbH has a large warehouse with sufficient stock in Germany. Thus, Norconia GmbH offers dealers in Germany and abroad fast delivery, 2 years warranty and after-sale-service, including spare parts.

Norconia's range of products includes pistols, shotguns and rifles for shooting and hunting. Moreover, Norconia offers a broad range of airguns, accessories, as well as aiming and observing optics at excellent prices and annually exhibits their new products at the IWA Outdoor Classics, Europe's major specialized fair. The next IWA is going to take place from 6th - 9th March 2020. Please visit us in hall 7, stand 7-532.

Norconia GmbH mit Sitz in Rottendorf/Deutschland wurde 1988 gegründet und gehört seit 32 Jahren u. A. zu der Firma Norinco, dem größten und führenden Waffenhersteller Chinas. Norinco Waffen zeichnen sich durch zuverlässige Funktionalität, vernünftige Verarbeitung und exzellente Preise aus.

Als Alleinvertreter von Norinco in Europa verfügt Norconia GmbH über ein großes Lagerhaus in Deutschland mit ausreichendem Warenbestand. Somit bietet Norconia dem Fachhandel, sowohl im Inland, als auch im Ausland, schnelle Lieferung, eine 2-Jahres-Garantie, sowie einen after-sale-service mit Ersatzteilen. Das Norconia Produktsortiment umfasst Pistolen, Flinten und Gewehre, sowohl für den Schießsport, als auch für die Jagd. Darüber hinaus führt Norconia ein umfangreiches Programm an Luftgewehren, Zubehör, preiswerter Ziel- und Beobachtungsoptik und stellt seine Neuheiten jedes Jahr auf der IWA Outdoor Classics aus, der bedeutendsten Fachmesse Europas. Die nächste IWA findet vom 06. - 09. März 2020 statt. Wir freuen uns auf Ihren Besuch in Halle 7, Stand 7-532.

